

STANDARD FAN SELECTIONS HORIZONTAL & VERTICAL	
UNIT SIZE	FAN USED
08	0906R
12	0909R
16	1008R
20	1010R
25	1509R
30	1511R
40	1515R
50	(2) 1509R*
60	(2) 1511R*
80	(2) 1515R*

NOTES:

- Two (2) fan wheels per unit. Enter 50% of the unit total CFM at the total static pressure to determine fan RPM and 50% of the unit brake horsepower.

STANDARD FAN SELECTIONS VB/VR REDUCED FOOTPRINT	
UNIT SIZE	FAN USED
08	0906R
12	0909R
16	1008R
20	1010R
25	1509R
30	1511R

NOTES:

- Use of an alternate fan will increase the outlet velocity, increasing the resulting noise associated with a particular unit selection.
- When ordering an alternate fan, the discharge orientation will stay the same as the standard fan.
- Note that the model number for units with alternate fan selections has the addition of an "R" at the end.


ALTERNATE FAN SELECTIONS HORIZONTAL & VERTICAL	
UNIT SIZE	FAN USED
08R	0904T
12R	0906R
16R	0906R
20R	0909R
25R	0909R
30R	1010R
40R	1509R
50R	1515R
60R	1515R
80R	(2) 1511R*

Alternate Fan Ordering Information

- When ordering blow thru electric heat with an alternate fan, the kW will be based on the chart below. Draw thru electric heat is not affected.

MODEL	KW
HH08R	14
HH12R	14
HH16R	14
HH20R	20
HH25R	20
HH30R	27
HH40R	35
HH50R	51
HH60R	51
HH80R	80

NOTE: Any model numbers ending in "R" indicate Alternate Fan.




SERIES B BELT DRIVE BLOWER COIL UNITS
 FAN PERFORMANCE CURVES

FAN: 0904T

FOR MODELS: H&V 08R

DATE: 9/26/00






SERIES B BELT DRIVE BLOWER COIL UNITS
 FAN PERFORMANCE CURVES

FAN:	0906R
FOR MODELS:	H&V 08 H&V 12R VB/VR 08
DATE:	8/14/01






SERIES B BELT DRIVE BLOWER COIL UNITS
 FAN PERFORMANCE CURVES

FAN:	0909R
FOR MODELS:	H&V 12 H&V 20R VB/VR 12
DATE:	8/14/01






SERIES B BELT DRIVE BLOWER COIL UNITS
 FAN PERFORMANCE CURVES

FAN: 1008R

FOR MODELS: H&V 16
 VB/VR 16

DATE: 9/26/00






SERIES B BELT DRIVE BLOWER COIL UNITS
 FAN PERFORMANCE CURVES

FAN:	1010R
FOR MODELS:	H&V 20 H&V 30R VB/VR 20
DATE:	9/26/00






SERIES B BELT DRIVE BLOWER COIL UNITS
 FAN PERFORMANCE CURVES

FAN:	1509R
FOR MODELS:	H&V 25 H&V 40R VB/VR 25
DATE:	9/26/00






SERIES B BELT DRIVE BLOWER COIL UNITS
 FAN PERFORMANCE CURVES

FAN:	1511R
FOR MODELS:	H&V 30 VB/VR 30
DATE:	9/26/00






SERIES B BELT DRIVE BLOWER COIL UNITS
 FAN PERFORMANCE CURVES

FAN:	1515R
FOR MODELS:	H&V 40 H&V 50R H&V 60R
DATE:	9/26/00






SERIES B BELT DRIVE BLOWER COIL UNITS
 FAN PERFORMANCE CURVES

FAN: 1509R Dual

FOR MODELS: H&V 50

DATE: 9/26/00






SERIES B BELT DRIVE BLOWER COIL UNITS
 FAN PERFORMANCE CURVES

FAN:	1511R Dual
FOR MODELS:	H&V 60 H&V 80R
DATE:	9/26/00





SERIES B BELT DRIVE BLOWER COIL UNITS
 FAN PERFORMANCE CURVES

FAN: 1515R Dual

FOR MODELS: H&V 80

DATE: 9/26/00

